

Pepero Pan & Tilt 300

Directional Antenna Mount

The Pepero Pan & Tilt 300 is specifically designed for the wireless communication industry. The all-aluminum design makes this a rugged, lightweight mount suitable for fixed and mobile tower applications.

Faster, Safer Adjustments

Pepero's Pan & Tilt 300 Directional Antenna Mount provides speed, precision and reliability for the positioning of a variety of antennas. Adjustments are quickly made from the ground with either a manual or wireless handheld controller, eliminating the need for certified climbers, unsafe ladders and bulky safety harnesses. Our mount also eliminates the need to lower mobile towers to make adjustments.

Tuning Directional Antennas Has Never Been Easier

Pepero's Pan & Tilt 300 Directional Antenna Mount is designed to provide fine adjustments without drift, eliminating the need for tedious offset manual shaft adjustments at the antenna. The Pan & Tilt 300 is designed and engineered to withstand 120 mph wind speeds and other extreme weather conditions.


The Pepero Pan & Tilt 300 mount has a pan range of 60 degrees and a tilt range of 10 degrees.

Typical applications are:

- Point-to-point bridges
- Beam antennas
- Microwave antennas
- And other directional antennas



▲ The Pan & Tilt 300 is operated from the ground, by either manual or wireless handheld controller




Specifications:

The mounting surface of the Pepro Pan & Tilt 300 Directional Antenna Mount is pre-drilled to accommodate various antenna mounting configurations. This mount is capable of supporting dish antennas up to three feet in diameter with seven square feet of sail area.

Other features:


- 60° of pan range and 10° of tilt range
- Positive positioning via electric motor
- Lightweight (15 lbs.) all-aluminum design
- Four-bolt mounting system
- Stainless steel hardware
- Available for both AC and DC operation
- Water and dust resistant (IP67) electrical connections
- Rugged, watertight handheld controller



▲ Four-bolt mounting system

▲ Lightweight all-aluminum design can withstand 120 mph wind speeds

▼ Pan & Tilt 300 Wireless Controller



▲ 60° pan range and 10° tilt range – providing speed, precision and reliability

PLEASE NOTE: Due to continuous product improvements, specifications and/or equipment changes may be made without prior notification.



PEPRO LLC • 671 Colbert Avenue • Oil City, PA 16301

P: (814) 676-5688 • F: (814) 676-3729 • jkahle@peprollc.com • www.peprollc.com

Copyright © PEPRO LLC 2012, all rights reserved. PEPRO is a registered trademark and Pepro Pan & Tilt 300 is a trademark of PEPRO LLC. Pepro products are covered by patent #'s 5,749,178; 7,046,521 and 7,385,147 and all patents pending. PTMv3 PC2/12